



Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104

PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066

bondall@bondall.com  
www.bondall.com

## TYRE RUBBER AND TAR REMOVER

CC0005

REVISED JULY 2001

### DESCRIPTION

Bondall Tyre Rubber and Tar Remover is a specially formulated gel designed to assist with the removal of unsightly tyre rubber and tar marks from pavers, kerbing, concrete, clay bricks, limestone and stone surfaces. It can also be used to soften acrylic-based coatings for easier removal.

**TEST AREA:** Always test the product on a small inconspicuous area first to ensure that the product is achieving the desired result prior to application over the entire area. Some sealed or painted surfaces may require re-sealing once the surface has been treated with Bondall Tyre Rubber and Tar Remover.

### FEATURES AND BENEFITS

- Low toxicity
- Removes marks rapidly
- Easy clean up with water

### SURFACE PREPARATION

No special preparation required.

### APPLICATION

Apply Bondall Tyre Rubber and Tar Remover liberally and spread the product on the affected area to about 1mm thickness. Allow a few minutes for the product to start dissolving the marks. Swirling a soft paintbrush on and around the affected area can assist with the dissolution of the tyre or tar mark.

When the tyre mark has been dissolved wipe the gel from the surface with a cloth or spatula.

Re-apply the product onto any stubborn stains. When the mark has been completely removed rinse the area thoroughly with clean water.

When treating painted surfaces it is important that the product be left on the surface for no longer than 5 minutes. On some coated surfaces it may remove the coating from the surface.

**NOTE.** Do not splash the product onto areas you do not want it to come into contact with. If splashes occur they can be removed using water immediately. It is important to use protective clothing, impervious gloves, and goggles during the application of this product.



Wholly Australian Owned & Manufactured

the solution  bondall





Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104  
PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066  
bondall@bondall.com  
www.bondall.com

## COVERAGE

Approximately 2-6 square metres per litre on porous surfaces. Coverage rates are dependent on surface porosity, texture and application technique.

## THINNING

Not applicable

## GLOSS LEVEL

Not applicable.

## DRYING TIME

Do not allow the product too completely dry on the surface.

## CLEAN UP

Clean all equipment promptly with warm water and a little detergent followed by a fresh water rinse immediately after use.

## COLOUR

Pink coloured gel.

## SIZES

Available in 1 litre containers.



Wholly Australian Owned & Manufactured

the solution  bondall





Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104  
PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066  
bondall@bondall.com  
www.bondall.com

## PRECAUTION/FIRST AID

It is recommended that normal personal protective clothing should be worn, including coveralls, impervious gloves and goggles. Avoid unnecessary skin contact and inhalation – use a suitable respirator if spray application is employed.

Keep this product away from children. Any contact with skin or eyes should be treated immediately by rinsing with plenty of water. If poisoning occurs contact a doctor or the Poisons Information Centre on 13 11 26 immediately. If swallowed do not induce vomiting, wash mouth with plenty of water and drink copious amounts of water. Any contact with skin or eyes should be washed with plenty of water immediately and seek the assistance of a doctor if required.

## DISCLAIMER

The information contained here is given in good faith and is intended to be of assistance to users. The performance of this product is dependant upon its correct preparation, application onto a sound surface and attention to the instructions on the label. The wide variety of surface conditions makes it impossible for the company to assume liability for any loss, consequential or otherwise, arising from the use of this product. Should the product be found defective our liability shall be limited to the replacement of the product only. We reserve the right to amend specifications and application techniques without prior notice.

For further advice please contact the Bondall Building and Renovating Service on 1800 810 123 or (08) 9277 6844



Wholly Australian Owned & Manufactured

the solution  bondall

