



Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104  
PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066  
bondall@bondall.com  
www.bondall.com

# CRAFTBOND

AM0001

REVISED JULY 2001

## DESCRIPTION

Bondall Craftbond is a versatile modified PVA adhesive of exceptional quality designed for fast drying and bonds of superior tensile strength.

It offers a multitude of uses including:

- Bonding of manufactured timbers such as chipboard, particleboard, plywood and Medium Density Fibreboard.
- Repairing and strengthening joinery
- Inexpensive glue for timber and other porous surfaces
- Adhesive for all types of crafts and hobbies

## FEATURES AND BENEFITS

- Dries clear
- Easy to use
- Quick drying
- Non-toxic
- Multi-purpose
- Adheres to most surfaces
- Moisture and humidity resistant
- Sands freely without softening

## SURFACE PREPARATION

Ensure surface is dirt and grease free. Apply direct from container to one surface only. Press surfaces together and lightly clamp. Wipe excess adhesive away with a cloth. Bondall Craftbond sets in approximately 30 minutes. Maximum strength is achieved in 12 hours.

## APPLICATION

Shake bottle before use.

Apply generously to surfaces, press surface together and lightly clamp if required. While wet wipe excess glue away with a damp cloth.

By hand, glue gun or squeeze bottle.



Wholly Australian Owned & Manufactured

the solution  bondall





Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104  
PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066  
bondall@bondall.com  
www.bondall.com

#### COVERAGE

Not applicable

#### THINNING

Unnecessary. If essential then dilute with water.

#### GLOSS LEVEL

Not applicable.

#### DRYING TIME

Bondall Craftbond sets in approximately 30 minutes. Maximum strength is achieved in about 12 hours.  
Do not stress joint for 24 hours.

#### CLEAN UP

Do not pour contents or washings down drains or sinks.  
Brushes and equipment wash clean in water.

#### COLOUR

White emulsion, dries clear

#### SIZES

250mL, 500mL, 1L & 5L

#### PRECAUTION/FIRST AID

It is recommended that normal personal protective clothing should be worn, including coveralls, impervious gloves and goggles. Avoid unnecessary skin contact and inhalation – use a suitable respirator if spray application is employed.  
If swallowed, contact a doctor or the Poison Information Centre on 13 11 26. Give water to drink and do not induce vomiting.



Wholly Australian Owned & Manufactured

the solution  bondall





Bondall PTY LTD  
ACN: 008 734 096  
ARS: 27 008 734 096

113 Belmont Ave  
Belmont WA 6104  
PO Box 111  
Cloverdale WA 6985

P: 08 9277 6844  
F: 08 9277 4066  
bondall@bondall.com  
www.bondall.com


## DISCLAIMER

The information contained here is given in good faith and is intended to be of assistance to users. The performance of this product is dependant upon its correct preparation, application onto a sound surface and attention to the instructions on the label. The wide variety of surface conditions makes it impossible for the company to assume liability for any loss, consequential or otherwise, arising from the use of this product. Should the product be found defective our liability shall be limited to the replacement of the product only. We reserve the right to amend specifications and application techniques without prior notice.

For further advice please contact the Bondall Building and Renovating Service on 1800 810 123 or (08) 9277 6844



Wholly Australian Owned & Manufactured

the solution  bondall

