

Material Safety Data Sheet

CS: 1.4.93

Page: 1 of 4

Infosafe No™ HXRLW Issue Date : May 2010 ISSUED by BONDALL

Product Name : **TILEGUARD CONCRETE FLOOR SEALER (TINTABLE)**

Not classified as hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name TILEGUARD CONCRETE FLOOR SEALER (TINTABLE)
Product Code 4 litre: 63015
Company Name BONDALL PTY LTD (ABN 27 008 734 996)
Address 113 Belmont Avenue
Belmont
WA 6104 Australia
Emergency Tel. 0400 705 773 or Poisons Information Centre: 13 11 26
Telephone/Fax Number Tel: (08) 6272 3800
Fax: (08) 9277 4068
Recommended Use To provide a translucent, coloured, hardwearing finish for concrete floors.
Other Names Name Product Code
TILEGUARD TINTABLE CONCRETE SEALER

2. HAZARDS IDENTIFICATION

Hazard Classification Not classified as hazardous according to criteria of NOHSC
NON-HAZARDOUS SUBSTANCE.
NON-DANGEROUS GOODS.
Hazard classification according to the criteria of NOHSC.
Dangerous goods classification according to the Australia Dangerous Goods Code.
Risk Phrase(s) Not classified as hazardous according to criteria of NOHSC

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Water	7732-18-5	30-60 %
	3-Isothiazolone, 2-methyl- 1,2 Benzisothiazole-3 -one	2682-20-4 2634-33-5	0-<0.05 % 0-<0.05 %
	Acrylic resin	Proprietary	30-<60 %
	2-Butoxyethanol	111-76-2	0-<10 %
	2- (2-butoxyethoxy) ethanol	112-34-5	0-<1 %
	Terbutryn	886-50-0	0-<1 %
	2-Octyl-2H-isothi azol-3-one	26530-20-1	0-<0.05 %

4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye Irrigate immediately with water for at least 15 minutes until irritation subsides. If irritation persists, seek medical attention.
First Aid Facilities Eyewash and normal washroom facilities.
Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use carbon dioxide, dry chemical, foam, water mist or water spray.

Material Safety Data Sheet

CS: 1.4.93

Page: 2 of 4

Infosafe No™ HXRLW	Issue Date : May 2010	ISSUED by BONDALL
--------------------	-----------------------	-------------------

Product Name : **TILEGUARD CONCRETE FLOOR SEALER (TINTABLE)**

Not classified as hazardous according to criteria of NOHSC

Hazards from Combustion Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide.

Products Specific Hazards This product is non-combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Spillage may be slippery. Place inert absorbent, non-combustible material onto spillage. Use clean tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Protect from freezing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Reference should be made to all applicable local and national storage regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No exposure value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC), Australia. However, the available exposure limits for ingredients are listed below:

National Occupational Health And Safety Commission (NOHSC), Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
2 Butoxyethanol	20	96.9	50	242	Sk

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

'Sk' Notice: Absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur. No biological limit allocated.

Biological Limit Values

Engineering Controls Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a ventilation system is required.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/vapor filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Material Safety Data Sheet

CS: 1.4.93

Page: 3 of 4

Infosafe No™ HXRLW	Issue Date : May 2010	ISSUED by BONDALL
--------------------	-----------------------	-------------------

Product Name : **TILEGUARD CONCRETE FLOOR SEALER (TINTABLE)**

Not classified as hazardous according to criteria of NOHSC

Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Milky white free flowing liquid
Odour	Not available.
Melting Point	0°C (water)
Boiling Point	100°C (water)
Solubility in Water	Totally miscible
Specific Gravity	1.025
pH Value	Slightly alkaline
Vapour Pressure	Not available
Flash Point	Not applicable
Flammability	Not flammable
Auto-Ignition Temperature	Not applicable
Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Extremes of temperature
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Hazardous Polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data available for this product. The available toxicity data for the ingredients are as follows: Acute toxicity data for 2 Butoxyethanol: LD50 (Oral, Rat): 250 mg/kg LD50 (Dermal, Rabbit): 220 mg/kg LC50 (Inhalation, rat): 450 ppm (4h)
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	May be irritating to eyes. The symptoms may include redness, itching and

Material Safety Data Sheet

CS: 1.4.93

Page: 4 of 4

Infosafe No™ HXRLW Issue Date : May 2010 ISSUED by BONDALL

Product Name : **TILEGUARD CONCRETE FLOOR SEALER (TINTABLE)**

Not classified as hazardous according to criteria of NOHSC

Chronic Effects tearing.
Prolonged or repeated contact may cause dermatitis or sensitisation.

12. ECOLOGICAL INFORMATION

Ecotoxicity Not available

Persistence / Not available

Degradability

Mobility Not available

Environ. Protection Do not discharge this material into waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations Dispose of waste according to applicable local and national regulations.

14. TRANSPORT INFORMATION

Transport Information Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

15. REGULATORY INFORMATION

Regulatory Information Not classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia.
Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

Date of preparation MSDS Reviewed: May 2010

or last revision of MSDS Superseded: November 2004

MSDS

Contact Person/Point Chemist: Tel No: (08) 9478 6005

Emergency: Tel No: 0400 705 773

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.