

# SAFETY DATA SHEET

## BETTA ASPHALT CRACK FILLER

Infosafe No.: LQ7JB  
ISSUED Date : 25/01/2017  
ISSUED by: BONDALL PTY LTD

### 1. IDENTIFICATION

**GHS Product Identifier**

BETTA ASPHALT CRACK FILLER

**Company Name**

BONDALL PTY LTD

**Address**

Australia: 113 Belmont Avenue  
Belmont, WA 6104 Australia

New Zealand: Owens Logistics,  
3-5 Kahu Street,  
Otahuhu, Auckland 2024

**Telephone/Fax Number**

Tel: Australia: +61 (8)6272 3800 / New Zealand: 0800 474 7738

**Emergency phone number**

AU: 1800 638 556, NZ: 0800 154 666

**Recommended use of the chemical and restrictions on use**

Asphalt crack sealing applications.

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.  
Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients**

Name	CAS	Proportion
Bitumen	64742-93-4	50-60 %
Ingredients determined to be non-Hazardous		Balance

### 4. FIRST-AID MEASURES

**Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention..

**Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

**Skin**

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

# UNCONTROLLED COPY

## Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop, seek medical attention.

## First Aid Facilities

Eyewash and normal washroom facilities.

## Advice to Doctor

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

---

### Suitable Extinguishing Media

Water spray, water fog, foam, carbon dioxide and dry chemical powder.

### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide and carbon dioxide as well as trace amounts of vinyl acetate monomers, oxides of sulphur and oxides of nitrogen.

### Specific Hazards Arising From The Chemical

This product is not combustible. However, under fire conditions, following the evaporation of the aqueous component, the organic components may decompose and/or burn.

### Decomposition Temperature

Not available

### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

## 6. ACCIDENTAL RELEASE MEASURES

---

### Emergency Procedures

Slippery when spilled. Avoid accidents, clean up immediately. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. As a water based product, if spilt on electrical equipment the product will cause short-circuits. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

---

### Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

### Biological Limit Values

No biological limit allocated.

## UNCONTROLLED COPY

### Appropriate Engineering Controls

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

### Hand Protection

Wear gloves of impervious material such as Neoprene/rubber gloves. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Form

Paste

### Appearance

Black viscous paste.

### Colour

Black

### Odour

Not available

### Decomposition Temperature

Not available

### Melting Point

Not available

### Boiling Point

100°C (Water)

### Solubility in Water

Dilutable

### Specific Gravity

1 kg/Litre

### pH

Not available

### Vapour Pressure

As for water

### Vapour Density (Air=1)

< 1 water

### Evaporation Rate

Not available

### Odour Threshold

Not available

### Viscosity

Not available

## UNCONTROLLED COPY

### **Partition Coefficient: n-octanol/water**

Not available

### **Flash Point**

Not applicable

### **Flammability**

Non-combustible liquid.

### **Auto-Ignition Temperature**

Not applicable

### **Flammable Limits - Lower**

Not applicable

### **Flammable Limits - Upper**

Not applicable

## 10. STABILITY AND REACTIVITY

---

### **Chemical Stability**

Stable under normal conditions of handling and storage.

### **Reactivity and Stability**

Reacts with incompatible materials.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight. Protect from freezing.

### **Incompatible materials**

Solvents, strong oxidizers, strong acids & alkalis.

### **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide as well as trace amounts of vinyl acetate monomers, oxides of sulphur and oxides of nitrogen.

### **Possibility of hazardous reactions**

Reacts with incompatible materials

### **Hazardous Polymerization**

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

---

### **Toxicology Information**

No toxicity data available for this material.

### **Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### **Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

### **Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling.

### **Eye**

May be irritating to skin. The symptoms may include redness, itching and swelling.

### **Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

### **Skin Sensitisation**

Not expected to be a skin sensitiser.

### **Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

### **Carcinogenicity**

Not considered to be a carcinogenic hazard.

## UNCONTROLLED COPY

Bitumen is listed as a Group 2B: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

### **STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

### **STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

### **Aspiration Hazard**

Not expected to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

---

### **Ecotoxicity**

No ecological data available for this material.

### **Persistence and degradability**

Not available

### **Mobility**

Not available

### **Bioaccumulative Potential**

Not available

### **Other Adverse Effects**

Not available

### **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

## 13. DISPOSAL CONSIDERATIONS

---

### **Disposal considerations**

Product Disposal:

This product can be disposed through a licensed commercial waste collection service. This product is non-hazardous and therefore the New Zealand HSNO regulations regarding disposal do not apply, however other regulations may apply.

Container Disposal:

The product is non-hazardous, therefore, the packaging may be re-used or recycled if it has been treated to remove any residual contents of the substance. Any wash-off water from the container cleaning process should be sent to a suitable waste water treatment plant before discharge into the environment.

In New Zealand, the packaging (that may or may not contain any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

## 14. TRANSPORT INFORMATION

---

### **Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433: 2012 Transport of Dangerous Goods on Land.

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

## UNCONTROLLED COPY

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

### 15. REGULATORY INFORMATION

---

**Regulatory information**

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.

### 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS Created: January 2017

**References**

- Standard for the Uniform Scheduling of Medicines and Poisons.
- Approved criteria for classifying hazardous substances [NOHSC:1008(2004)].
- National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2011(2003)].
- Australian Code for the Transport of Dangerous Goods by Road & Rail.
- Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- Workplace exposure standards for airborne contaminants, Safe work Australia.
- American Conference of Industrial Hygienists (ACGIH)

**Contact Person/Point**

Chemist: Tel No: (08) 6272-3800

Emergency: Tel No: 0438 916 539

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.